Plot No.1/a, Survey No.233, Varsanna, Kutch, Gujarat, India - 370110.

Web: http://www.mc-rix.com

Phone: +91 9913502939

WATERPROOF TAPE MATERIAL SAFETY DATA SHEET (MSDS)

Includes Black, White, Red, Green & transparent Colour

1. Chemical Product &

Company Information

Product Name

Rubber Waterproof Tape

Chemical Family

Rubber

Supplier's Name

Mc-Rix Industries.

Address

Plot No.1/a, Survey No.233, Varsanna, Kutch, Gujarat, India -

370110.

Telephone

+91 99135 02939

Date MSDS Revised 5/20/2018

2. Composition & Information on Ingredients

Hazardous Ingredient	CAS#	%	ACGIH TWA
Crosslinked polyethylene	9002-88-4	80	N/A
Tackifier		20	N/A

3. Hazards Identification

Effects of Overexposure

Tape is normally non-irritating to the skin. Ingestion of the compound is highly unlikely and the compound is expected to have a low order of toxicity although no test data is available. The compound may be mildly irritating to the eyes. The compound is essentially non-volatile and should not provide an inhalation hazard.

4. First Aid Measures

Medical Conditions aggravated by Exposure

None known.

Emergency & First Aid

Eye Contact; Flush eyes with water for at least 15 minutes, obtain medical attention if irritation persists. Inhalation; If products of combustion are inhaled, remove to fresh air. Seek medical attention if respiratory irritations occur, or breathing becomes difficult. Skin Contact; Wash well with soap and water. Ingestion; Due to the physical state of this material, ingestion is unlikely to occur, seek medical attention.

MSDS Page 1 of 3

5. Fire Fighting Measures	Flashpoint	N/A		
	Extinguishing Media	Foam, CO2, dry chemical or water fog		
	Fire Fighting Procedures Do not use water except a fog. Self-contained breathing apparatus with a full face piece operated in pressure demand or other positive pressure mode is required for fire fighting personnel. As in all fires, prevent human exposure to fire, smoke, fumes or product combustion. Evacuate non-essential personnel from fi re area.			
6. Accidental Release Measures	Spill & Leak Procedures			
	No special procedures normally needed. Reuse material.			
	Waste Disposal Method			
	Dispose in accordance with I	Dispose in accordance with local, state, and federal regulations.		
7. Handling & Storage	Store in cool, dry, well-ventilated area. Caution: curing releases vapors which may be harmful. Cure only where appropriate ventilation systems exist. No special handling procedures are necessary. Follow good industrial hygiene practices.			
8. Exposure Control &	Respiratory Protection None normally needed.			
Personal Protection	Ventilation None normally needed.			
	Gloves/Clothing Normal work clothing.			
	Eye Protection			
	None normally needed.			
9. Physical & Chemical Properties	-	92 C		
9. Physical & Chemical Properties	None normally needed.	92 C 270 C		
9. Physical & Chemical Properties	None normally needed. Melting Point			
9. Physical & Chemical Properties	None normally needed. Melting Point Boiling Point	270 C		
9. Physical & Chemical Properties	None normally needed. Melting Point Boiling Point Vapor Density	270 C Negligible		
9. Physical & Chemical Properties	Melting Point Boiling Point Vapor Density Vapor Pressure	270 C Negligible Negligible		

| MSDS Page 2 of 3

10. Stability & Reactivity			
10. Stability & Reactivity	Stability Incompatibility Hazardous	Stable None known. WATERPROOF dioxide, carbon	
	monoxide Decomposition Products	and carbon dioxide	
	Hazardous Polymerization	Will not occur	
11. Toxicological Information	Special Hazard Information on material and components - No known application information		
12. Ecological Information	Complete information is not yet available		
13. Disposal Considerations	RCRA Hazard Class (40CFR 261)		
	Material as received is non-hazardous with regard to disposal. Disposal should be made in accordance with local regulations.		
14. Transport Information	DOT Road Shipment (49CFR 172.101)	Not subject to DOT	
	Ocean Shipment (IMDG)	Not subject to IMDG code	
	Air Shipment (IATA)	Not subject to IATA regulations	
15. Regulatory Information	NFPA/HMIS Classification	alth = 0 Flammability = 1 Reactivity = 0	
16. Other Information	Hazard data contained herein was obtained from raw material suppliers. The information presented is believed to be factual, as it was derived from the works and opinions of persons believed to be qualified. The user should review any recommendation in the specific context of the intended use to determine if they are appropriate.		